



10/536659

NOR

D-3212

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Clarke et al.

Patent No.: 7,625,427

Dated: December 1, 2009

For: APPARATUS AND PROCESS
FOR CARBON DIOXIDE
ABSORPTION

Examiner: Greene, Jason

Group Art Unit: 1797

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**REQUEST FOR CERTIFICATE OF CORRECTION**
UNDER 35 U.S.C. § 254 AND 37 C.F.R. § 1.322

Upon reviewing the above-identified patent (U.S. Pat. No. 7,625,427), the undersigned noted certain errors in the patent and requests correction thereof. Because these errors were made by the Patent and Trademark Office, no fee is due regarding this communication. Entry of these corrections is respectfully requested.

Attached please find an original and one copy of Patent Office Form PTO/SB/44 indicating errors found in the above-identified patent. The corrected errors on Form PTO/SB/44 are as follows:

Certificate
MAY 21 2010
of Correction

Applicant: Clarke et al.
Patent No.: 7,625,427
Dated: December 1, 2009
Page 2 of 2

Column 1, line 19

"fluorinate" should read --fluorinated--.

Column 5, line 31

In claim 3, delete the comma after "A method".

Date: _____

5/12/10

Respectfully submitted,



Frank J. Uxa
Attorney for Applicant
Reg. No. 25,612
4 Venture, Suite 300
Irvine, California 92618
949-450-1750
Facsimile: 949-450-1764

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below:

Date: May 12, 2010

By: Alicia Curran

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,625,427
APPLICATION NO. : 10/536,659
ISSUE DATE : December 1, 2009
INVENTOR(S) : Clarke et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 19

"fluorinate" should read --fluorinated--.

Column 5, line 31

In claim 3, delete the comma after "A method".

MAILING ADDRESS OF SENDER: Frank J. Uxa
Stout, Uxa, Buyan & Mullins
4 Venture, Suite 300
Irvine, CA 92618

PATENT NO.: 7,625,427
No. of additional copies: 1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,625,427
APPLICATION NO. : 10/536,659
ISSUE DATE : December 1, 2009
INVENTOR(S) : Clarke et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 19

"fluorinate" should read --fluorinated--.

Column 5, line 31

In claim 3, delete the comma after "A method".

MAILING ADDRESS OF SENDER: Frank J. Uxa
Stout, Uxa, Buyan & Mullins
4 Venture, Suite 300
Irvine, CA 92618

PATENT NO.: 7,625,427
No. of additional copies: 1